HORIZONTAL SPRING CULTIVATOR









GENERAL FEATURES

These are produced with 5, 7, 9, 11, 13, 15 tines. You can use our cultivator for the secondary dressing of soil, preparing seedbed, loosing the soil, breaking the lumps, cutting wild weed, improving the water distribution and preventing the soil from making sole. Cultivator keeps the moisture in soil, so it does not process the soil by overturning and it hoes rows by adjusting the changeable tine distances.

TECHNICAL DETAILS

CODE	WEIGHT (KG)	TYPE OF SPRING	WORKING DEPTH (CM)	WORKING WIDTH (CM)	REQUIRED POWER (HP)
SMCTH-5	205	HORIZONTAL	OE XAM	130	30-40
SMCTH-7	285	HORIZONTAL	OE XAM	175	40-50
SMCTH-9	365	HORIZONTAL	OE XAM	225	50-60
SMCTH-11	450	HORIZONTAL	OE XAM	275	60-70
SMCTH-13	530	HORIZONTAL	OE XAM	325	70-80
SMCTH-15	610	HORIZONTAL	OE XAM	375	80-90







HEAD OFFICE

FACTORY

Add: Fevzi Cakmak Mh. 10758 Sk. No: 16/G 42050 Karatay/Konya/TURKEY Add: Büyükkayacık Osb, Yaylacık Cd. No: 23, 42250 Selcuklu/Konya/TURKEY

T: +90 332 290 00 20 F: +90 332 290 00 19 T: +90 332 239 18 85 T: +90 332 239 18 86 F: +90 332 239 18 87

www.soilmaster.com.tr



+90 (532) 137 01 74



info@soilmaster.com.tr



